



US00D796247S

(12) **United States Design Patent**
Bazzicalupo et al.

(10) **Patent No.:** **US D796,247 S**

(45) **Date of Patent:** **** Sep. 5, 2017**

(54) **KETTLE**

(71) Applicant: **SMEG S.p.A.**, Guastalla (IT)

(72) Inventors: **Leopoldo Bazzicalupo**, Iseo (IT);
Raffaella Mangiarotti, Milan (IT)

(73) Assignee: **SMEG S.P.A.** (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/554,549**

(22) Filed: **Feb. 12, 2016**

Related U.S. Application Data

(62) Division of application No. 29/504,083, filed on Oct. 1, 2014, now Pat. No. Des. 752,911.

(30) **Foreign Application Priority Data**

Apr. 2, 2014 (EM) 002438473

(51) **LOC (10) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/321; D7/317; D7/322; D7/318**

(58) **Field of Classification Search**
USPC D7/316, 317, 318, 319, 303, 302, 312,
D7/322, 321, 600; D10/46.2; D9/524,
D9/526, 527; 222/573; D23/212, 211.2,
D23/207, 209
CPC B65D 23/06; B65D 47/06; B67D 1/16;
A47G 19/00; A47G 19/12; A47J 31/20;
B01D 35/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D390,743 S * 2/1998 Saltet D7/317
D399,090 S * 10/1998 Green D7/318
D439,466 S * 3/2001 Bouhuys D7/318

D562,053 S * 2/2008 Cohen D7/317
D599,161 S * 9/2009 Friel, Sr. D7/317
D602,304 S * 10/2009 Elissen D7/317
D709,724 S * 7/2014 Mander D7/317
D714,581 S * 10/2014 Shao D7/312
D726,485 S * 4/2015 Mullen D7/317
D727,675 S * 4/2015 Garvey D7/319
D752,911 S * 4/2016 Bazzicalupo D7/317
D784,063 S * 4/2017 Bond D7/317

* cited by examiner

Primary Examiner — Marianne Pandozzi

(74) *Attorney, Agent, or Firm* — The Belles Group, P.C.

(57) **CLAIM**

We claim the ornamental design for a kettle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a kettle in accordance with a first embodiment of the present invention;
FIG. 2 is a rear perspective view of the kettle of FIG. 1;
FIG. 3 is a front elevation view of the kettle of FIG. 1;
FIG. 4 is a left-side elevation view of the kettle of FIG. 1, the left-side view being a mirrored view of a right-side elevation view of the kettle of FIG. 1;
FIG. 5 is a rear elevation view of the kettle of FIG. 1;
FIG. 6 is a top plan view of the kettle of FIG. 1;
FIG. 7 is a bottom plan view of the kettle of FIG. 1;
FIG. 8 is a front perspective view of a kettle in accordance with a second embodiment of the present invention;
FIG. 9 is a rear perspective view of the kettle of FIG. 8;
FIG. 10 is a front elevation view of the kettle of FIG. 8;
FIG. 11 is a left-side elevation view of the kettle of FIG. 8, the left-side view being a mirrored view of a right-side elevation view of the kettle of FIG. 8;
FIG. 12 is a rear elevation view of the kettle of FIG. 8;
FIG. 13 is a top plan view of the kettle of FIG. 8; and
FIG. 14 is a bottom plan view of the kettle of FIG. 8.

1 Claim, 14 Drawing Sheets





FIG. 1



FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14