


#11.2+ findings in Technologies





EDITOR IN CHIEF

Juan Serra Lluch, Universitat Politècnica de València, Spain

GUEST EDITOR FINDINGS IN TECHNOLOGIES

Maria Piqueras Blasco, Universitat Politècnica de València, Spain

ASSOCIATE EDITORS

Antonio Álvaro Tordesillas, Universidad de Valladolid, Spain

Julia Deltoro Soto, Universitat Politècnica de València, Spain

Emma López Bahut, Universidade da Coruña, Spain

José Vela Castillo, IE School of Architecture and Design, Spain

Maria Piqueras Blasco, Universitat Politècnica de València, Spain

EDITORIAL COORDINATOR

María de los Ángeles Dorantes Lámbarri, Universitat Politècnica de València, Spain

EDITORIAL BOARD MEMBERS

Andrew Ballantyne, Newcastle University, United Kingdom

Berta Bardí Milà, Universitat Politècnica de Catalunya, Spain

Anne Debarre, ENSA Paris-Malaquais, France

Plácido González Martínez, Tongji University, China

Geoffrey Grulois, Faculté d'Architecture, Belgium

Camilla Mileto, Universitat Politècnica de València, Spain

Amadeo Ramos Carranza, Universidad de Sevilla, Spain

Koenraad Van Cleempoel, Universiteit Hasselt, Belgium

Dirk van den Heuvel, TU Delft, Netherlands

Fernando Vela Cossío, Universidad Politècnica de Madrid, Spain

ADVISORY BOARD MEMBERS

Giancarlo Cataldi, President of International Seminar on Urban Form ISUF, Italy

Paulo J.S. Cruz, Universidade do Minho, Portugal

Stephan Mäder, Zürcher Hochschule für Angewandte Wissenschaften, Switzerland

Geoffrey Makstutis, Pearson Education, United Kingdom

EMERITUS EDITORS

Débora Domingo Calabuig, Universitat Politècnica de València, Spain

Vicente Mas Llorens, Universitat Politècnica de València, Spain

Juan Maria Songel González, Universitat Politècnica de València, Spain

EDITORIAL ASSISTANCE

Esther Ponce Cerdá, Universitat Politècnica de València, Spain

David Pons Chaigneau, Universitat Politècnica de València, Spain

Eugenia Zamora Bodí, Universitat Politècnica de València, Spain

Arturo Sanchis García, Universitat Politècnica de València, Spain

Javier Bañuls Muñoz, Universitat Politècnica de València, Spain

PUBLISHED BY

Universitat Politècnica de València

Camino de Vera s/n. 46022 Valencia. Spain

<http://polipapers.upv.es/index.php/VLC>

ENGLISH LINGUISTIC ADVICE AND TRANSLATION

Jacinta Flynn

LAYOUT

Enrique Mateo. Triskelion Disseny Editorial

DESIGN OF THE COVER

Maria Piqueras Blasco

CONTACT

Juan Serra Lluch

Escola Tècnica Superior d'Arquitectura. Universitat Politècnica de València

Camino de Vera s/n. 46022 Valencia. Spain

Tel.: +34 963 877 110 – Ext.: 71115. juanserra@ega.upv.es

SUBSCRIPTION INFORMATION

1 volume, 2 issues: 30€

For further information, contact the Editorial UPV: pedidos@editorial.upv.es

ISSN: 2341-3050

e ISSN: 2341-2747

Legal Deposit: V-1007-2014

JOURNAL SPONSORSHIP

Escola Tècnica Superior d'Arquitectura. Universitat Politècnica de València



UNIVERSITAT
POLITÈCNICA
DE VALÈNCIA



ESCOLA TÈCNICA
SUPERIOR
D'ARQUITECTURA

FOCUS AND SCOPE

VLC arquitectura is a double-blind peer-reviewed international research journal, born as an initiative of the School of Architecture of the Universitat Politècnica de València. The publication covers the architecture as an interdisciplinary understanding and it is the place for discussions on the architectural and urban project from its technical, energetic and material side, to its theoretical, historical and graphics perspective. Education research on architecture is also welcome.

The journal aspires to create a high level discussion in university research in the fields of architecture and urbanism, and aims to be a channel for the dissemination of advanced research in the field.

VLC arquitectura encourages contributions to the following areas of research, according to UNESCO nomenclature:

- 6201 Architecture: Architectural Design, Parks and gardens, Urbanism
- 3305 Construction Technology: Architectural Design; Airport Construction; Buildings, large and skyscrapers; Bridges; Concrete (Technology of); Civil Engineering; Dams, Drainages; Excavations; Foundations; Harbors; Heavy constructions; Houses; Hyperstatic systems; Industrial and commercial buildings; Light constructions; Metallic constructions; Metrology of building; Organization of Works; Prefabricated constructions; Prestressed concrete; Public buildings; Regulations, codes and specifications; Soil mechanics (construction); Structural engineering; Structural strength; Topography of building; Tunnels; Underground Works; Urban planning; Water supply; Wood constructions
- 3329 Urban Planning: Building codes; Communications; Community organization; Land Use; Regional development, Sanitary services; Transportation; Urban environment; Urban-rural relations;
- 5506 Specialized histories: History of Architecture
- 2201 Acoustics: Architectural acoustics
- 5203 Geographical demography: Urban demography
- 5404 Regional geography: Urban geography
- 3313 Mechanical Engineering and technology: Building materials

PUBLICATION FREQUENCY

2 issues per year (April & October)

SUBMISSIONS AND AUTHOR GUIDELINES

Submissions are welcome in response to the themes outlined.

Please check the website for current calls and author guidelines.

<http://polipapers.upv.es/index.php/VLC/index>

EDITORIAL QUALITY CRITERIA

VLC *arquitectura* journal declares its commitment to respect the integrity of published works. For this reason, plagiarism is strictly prohibited and texts that are identified as either plagiarism or fraudulent content will be removed or unpublished. The journal will act in these cases as quickly as possible. By accepting the terms and agreements expressed by our journal, authors must ensure that the text and the materials associated with it are original (or that they have the publishing permissions) and that there isn't infringed copyright. Authors also have to justify that in case of joint authorship, there was full consensus of all authors involved and that the manuscript has not been previously presented or published in other media.

Expressed opinions are those of the authors and do not necessarily reflect the editorial opinion. All people listed as authors are responsible for the contents of the investigation by having contributed substantially in their physical execution and/or intellectually. Authorship is recognized for the contributions made to the field of knowledge, therefore, the author is responsible for agreeing with the team that took part in the conduct, and for the decision about the order of the authors.

Acknowledgments should be cited, explaining the sources of research funding (if any) and aid, substantial advice or recommendations made by third parties.

COPYRIGHT NOTICE

Hard copy and online journal is published by UPV, being necessary to cite the source in any total or partial reproduction.

Unless otherwise stated, all content of this electronic edition is distributed under a license and distribution "Creative Commons Attribution-Noncommercial 3.0 Spain" (CC-by-nc).

VLC *arquitectura* is not responsible for any copyright of the images reproduced in the texts. These are the responsibility of the authors in accordance with the arrangements set out in the call for submissions.

© texts: authors

© images: authors/institutions

TABLE OF CONTENTS

Editorial

Editorial

Juan Serra Lluch1

Editorial *Findings in Technologies*

Editorial *Findings in Technologies*

María Piqueras Blasco5

James Stirling: tradición y evolución del maquetista artesanal (1948-1992)

James Stirling: tradition and evolution of the artisan model maker (1948-1992)

Isaac Mendoza Rodríguez and Fernando Linares García.....9

Los pabellones que no fueron. Pietilä y el Pabellón Nórdico de la Bienal de Venecia

The pavilions that never were: Pietilä and the Nordic Pavilion at the Venice Biennale

Luis Miguel Cortés Sánchez, Francisco Javier Terrados Cepeda, and Panu Savolainen..... 35

Limits of Design and Technique: Lina Bo Bardi Staircases

Límites del diseño y la técnica: las escaleras de Lina Bo Bardi

Muammer Yaman and Esmá Eroğlu.....61

El uso del hormigón prefabricado en la trayectoria de Román Jiménez. Los inicios del *mat-building* en la ciudad de Valencia

The use of precast concrete in the career of Román Jiménez. The beginning of *mat-building* in the city of Valencia

Antonio Lozano Peris and José María Lozano 77

La vida del antiguo Seminario de Teruel

The life of the old Seminary of Teruel

Miguel Sancho-Mir, Beatriz Martín-Domínguez, and Luis Agustín-Hernández 101

Reconstrucción, y Hogar y Arquitectura entre 1940-1963. Dos revistas propagandísticas adscritas al Régimen <i>Reconstrucción & Hogar y Arquitectura between 1940-1963. Two propaganda magazines related to the Regime</i> Ana Portalés Mañanós, Maite Palomares Figueres, and Asenet Sosa Espinosa	123
Gio Ponti y la transparencia del espacio doméstico <i>Gio Ponti and the Transparency of Domestic Space</i> Noelia Cervero Sánchez	149
Postdigital augmented spaces: A conceptual framework <i>Espacios postdigitales aumentados: Un marco conceptual</i> Sila Burcu Başarir and Yüksel Demir	173
+ FINDINGS IN TECHNOLOGIES	
Pneumatic concrete laminar structures revisited. A singular architectural structural type <i>Estructuras laminares neumáticas de hormigón. Revisitando un tipo arquitectónico estructural singular</i> Elena López-Ortiz and Paloma Pineda	193
Remezclando nuestras ciudades: investigación reciente sobre la circularidad en el sector de la construcción <i>Remixing our cities – current research on circularity in the construction sector</i> Marisol Vidal, Matthias Lang-Raudaschl, and Clemens Berlach.	209
Sport Architecture. Technological evolution models and paradigms <i>La arquitectura del deporte. Modelos y paradigmas de la evolución tecnológica</i> Davide Allegri and Emilio Faroldi	219
Transformability in adaptive structures of Frei Otto and beyond Transformabilidad en las estructuras adaptativas de Frei Otto y más allá Marios C. Phocas and Maria Matheou	237

Sport Architecture. Technological evolution models and paradigms

La arquitectura del deporte. Modelos y paradigmas de la evolución tecnológica

Davide Allegri 

Politecnico di Milano. davide.allegri@polimi.it

Emilio Faroldi 

Politecnico di Milano. emilio.faroldi@polimi.it

Received 2024-04-03

Accepted 2024-10-11



To cite this article: Allegri, Davide, and Emilio Faroldi. "Sport Architecture. Technological evolution models and paradigms." *VLC arquitectura* 11, no. 2 (October 2024): 219-235. ISSN: 2341-3050. <https://doi.org/10.4995/vlc.2024.21978>



Abstract: The paper focuses on technological evolution applied to sports architecture, considered as urban infrastructures. A field of research – that has not been given its due importance both by architectural historiography and by technological culture – despite the fact that sports architecture has always represented privileged places of formal, technical and engineering experimentation. Some design experiences in the field of sports venues – from the twentieth century to the contemporary age – have instead represented significant steps of technological development. In particular, the latest generation of sports infrastructures, represent the architectural typology where it is possible to find, concentrated, paradigms such as those of resilience, flexibility, sustainability technologies for adaptive skins and many others innovative parameters.

Keywords: sport; architecture; technology; urban identity; facade.

Resumen: El trabajo se centra en la evolución tecnológica aplicada a la arquitectura deportiva, considerada como infraestructuras urbanas. Un campo de investigación –al que no se le ha dado la importancia debida tanto por la historiografía arquitectónica como por la cultura tecnológica– a pesar de que la arquitectura deportiva siempre ha representado lugares privilegiados de experimentación formal, técnica e ingenieril. Algunas experiencias de diseño en el ámbito de los recintos deportivos –desde el siglo XX hasta la época contemporánea– han representado, en cambio, pasos significativos de desarrollo tecnológico. En particular, las infraestructuras deportivas de última generación, representan la tipología arquitectónica donde es posible encontrar, concentrados, paradigmas como los de resiliencia, flexibilidad, tecnologías de sostenibilidad para pieles adaptables y muchos otros parámetros innovadores.

Palabras clave: deporte; arquitectura; tecnología; identidad urbana; fachada.

INTRODUCTION

Architectural and historiographical culture has traditionally neglected sport architecture: "A more pronounced neglect characterises the treatment of sporting spaces and stadia in architectural history."¹ It can be considered a paradox if we just think about the general importance that sport has always had in contemporary society and as sports architecture has always been a privileged places for technical, technological and construction experimentations.² These places refer to the Genius Loci present in the memorial structure of communities which, as such, identify evocative elements of anthropological experience, representations of material and identity culture which represent a symbolic mark on the context. It is therefore important to note that sports facilities have always possessed the distinctive character that Norberg-Schulz identifies in the existential space that is formed in the fundamental relationships between human beings, environment and landscape. The concept of sports infrastructure expresses qualities inherent to its being an interactive hub in a given territory, of which it becomes the driving force and dynamic expression. In this sense, sports infrastructure must be considered in its material meaning as an element of connection between urban functions, a dynamic system in continuous change.³ Unlike the terms "sports facility" or "installation", a sports "infrastructure", as such, cannot be traced back to an exclusive typology of buildings,⁴ fully expresses the role these architectures have acquired in the evolutionary dynamics that structure the contemporary city.⁵ It is true that with a few very particular and qualified exceptions, since the end of the nineteenth century, the stadium-building landscape has been substantially dominated by the engineering culture, which has brought and limited its essence within the realm of pure structural 'functionalism', so much so that stadiums have long met Bernard Rudoksky's concept of "architecture without architects."⁶

OBJECTIVES

The aim of the article is twofold: to report through a schematic historical-evolutionary overview, the importance of sports architecture in the technological evolution of large building infrastructures and in the urban development of the cities. These references have been, since ancient times, references in terms of material and construction culture and from the symbolic, cultural and social point of view. Recently, the latest generation sports infrastructures constitute a unique case in contemporary cities for their symbolic and media value and, again, as symbols of the excellence of technological development in architecture.

SPORT ARCHITECTURE. SYNTHETIC HISTORICAL EVOLUTION

If we analyze the timeline of generational development is analysed from a specific technical/ technological point of view,⁷ we can further highlight some moments where sports architecture manifests itself as an emblem of experimentation and innovation (Figure 1). In a very schematic and synthetic way:

- a. In antiquity (late republican and imperial) the modern stadium type (or arena type) was actually canonized with the construction of the Flavian amphitheater (better known as the Colosseum). In it, the construction innovations are noteworthy and can already be found: use of large masses of pozzolanic cement, a geometrically advanced basin in its development in plan and section (attention to the visual comfort of the public in the c-value of the steps);
- b. A complex and rigorous system of functions and access flows capable of guaranteeing perfect management of the stadium machine; an achieved harmony and unity between architecture and construction technology expressed on the external facades;




Figure 1. Evolutionary timeline of the stadium typology.

c. and finally, the most surprising requirement, the application of the modern concept of flexibility of use, in particular in the explanation of the construction techniques of the velarium (for the coverage of the stands) and the setting up of the *naumachie* in the center of the arena.⁸

In the Colosseum and in general in the megalithic arenas of imperial Rome, the basin (or *cavea* or steps), in its mirrored yet essential and stripped-down linearity, defines in every way an architecture in which *venustas*, *firmitas* and *utilitas* are closely connected and thus creating the perfect synergy between structure, function and aesthetics. Stone, wood, "mixed" concrete and natural fabrics are the recurring materials that the large dimensions of these artefacts force us to use according to *antelitteram* principles of large-scale modularity and stressing their mechanical characteristics to the highest levels.

First phase, Greco-Oriental "Stadium-Landscape" inserted and integrated into the morphology of the natural landscape, the *theatre* as a prodromal form of the *amphitheater* and the *hippodrome* as a typology later taken up by the Romans for the races.


Second phase, Roman-Occidental Stadium, which we call "Urban Stadium" (typologies based on amphitheatre/arena and/or the hippodrome) inserted into the urban dense core of the ancient city.

Third phase, Pre-Modern Era: from the noble courts to the "urban sport" in the squares (15th-16th century), to the construction of "urban-sferisteri" specifically designed for the playing of ball games (and for public control as well) and then, in Victorian England period in the second half of the 19th century, to the codification (starting from the geometric matrix of the colleges) of the modern rules of football and consequently of the "English model" of the stadiums that will then be replicated with different typologies throughout the world.

THE MODERN ERA AND TECHNOLOGICAL INNOVATIONS

In the Modern Era (1st generation | 1863-1920) iron and cast iron were used in the United Kingdom for the first stadiums in the world designed specifically for football and for the first time a "specialist" designer established itself in this field: Archibald Leitch was not an architect but a hydraulic engineer, specializing in iron shipbuilding. He applies his hydraulic knowledge to access and construction the flows to create increasingly spacious stands and large roofs, structures with a spartan and skeletal lightness, almost Gothic-like, not separated from a decorative style that characterized the main stands, real urban buildings. The large-scale application of techniques, materials and construction systems deriving from other industrial sectors - which is defined as *technology-transfer*⁹ - will become a constant in the field of sports infrastructures.¹⁰ The second generation (1920-1960/70) is characterized by the extended use of reinforced concrete for the regime's sports infrastructures and according to different declinations: a more voluminous one (e.g. like the Berlin stadium built for the Olympics in 1936 as a symbol of the greatness and construction wisdom of the Nazi regime) and another more "architectural" one which is highlighted in the masterpieces of Pier Luigi Nervi between the Thirties and Sixties. The large roof spans and the need to host an ever larger audience are ideal prerequisites for Nervi who can apply all his construction wisdom and genius in the field of sports architecture, also designing specific systems to improve and optimize the construction processes.¹¹

During the III and IV Generation (1960/70-1992) various sports facilities once again became privileged places of experimentation, innovation and technological transfer. The Olympic Stadium in Munich (1972) undoubtedly represents an emblematic case in the field of research on geodetic, light and reticular structures by Buckminster Fuller and on Frei Otto's membranous tensile structures. "The 1972 Munich



* LANDSCAPE_InMor: Morphological Integration; InN/E: Nature/Building Integration; Pmtz: Multifunctional Plate; TECHNOLOGY_Skin/Inv-Mid: Skins/ Metaphor of identity; Inv-Mvrd: Skins/Green Metaphor; Inv-Pr&Tr: Skins/ Porosity and Transparency; Inv-Ico: Skins/New Skins for iconic stadium; Sustainability/Sost-En: Sustainability/Energy; Sost-Ric: Sustainability/ Materials Recycling & Reuse; Resilience/Res-Ad: Resilience/Adaptability; Res-Flx: Resilience/Flexibility; Res-Sm: Resilience/Demountability.

Figure 2. Technological evolutionary line of sports architecture.

stadium project is the first large-scale project whose static analysis empirically carried out starting from physical models is supported by electronic computing equipment. The term *Form-Finding* is coined which will effectively become a design technique which, combined with the synthesis skills [of some designers] will give life to architectural creations of high expressive and technical capacity.”¹² In the Montreal Olympic Stadium (1976), a mobile roofing system in a tensile structure with a *Teflon* membrane (textile fiber reinforced with glass fiber) with packing in the center, system (based on the model of the ancient Roman *Velarium*) adopted for the first time on such significant dimensions¹³ while the stadium of Spalato (1979, designed by Boris Magaš) is characterised by roofing in high-performance polycarbonate (used here for the first time on a large scale). The polycarbonate sheets rest on a three-dimensional

‘MERO system’ grid and were purposely designed and manufactured to withstand loads and ensure performance levels of diffuse lighting consistent with the sport function of the facility (Figure 2).

THE CONTEMPORARY ERA AND THE LAST GENERATION OF SPORT ARCHITECTURE. AESTHETICS AND HYPER-TECHNOLOGY

Since the mid-1990s, the theme of resilience – expressed in functional and flexibility of use – is a constant element in new constructions (indoor stadiums and arenas) that adequately responds to management and economic needs (Figures 3,4,5,6). Also in this case, sports architecture becomes the field of application of technical solutions never before tested in the construction sector; consider these exceptional examples - of



Figure 3. New Wembley Stadium (London, 2007). An important and significant recent example of the complete demolition of an iconic building (the old Wembley inaugurated in 1923 on the occasion of the Universal Exhibition and symbol of the British Empire) with reconstruction from scratch on the same site.

the technological transfer from the aeronautical sector in the Saitama (1997) and Toyota (2001) stadiums to move entire parts of the arena in the first case and thus configure different functional layouts and, in the second, to move the large cover through a complex system of moving air bearings. Other examples of this new generation are the Millennium Stadium (Cardiff, 1998); the Gelredome Stadium (Arnhem, 1998), the first European example with a pitch that

can be completely moved outside; the Sapporo Dome (Sapporo, 2002) with movable stands and field (the latter rotatable and removable) and, to close this first New-Age phase of resilient sports infrastructures, the Arizona Cardinals (Glendale, 2006), designed by the studio Peter Einsenmann Architects, first example of a mega-stadium pitch that “slides” out of the stadium.



Figure 4. Olympic Stadium (Berlin, 1936 opening, 2006 redevelopment). Example of a regime stadium (II Generation) completely renovated and updated with respect to the requirements for the major competitions of the new millennium (in this case, the 2006 Football World Cup). The approach combined the philological conservation of the old arena with the addition of a new technologically advanced covering from a material (composite textile membranes) and structural point of view and with a strong symbolic impact (lightness versus heaviness of the regime).

The evolution and complexity of the architectural reality and its management, economic and social processes has favoured the spread of a new generation of multifunctional structures designed to guarantee environmental quality, safety and multifunctionality. As consolidated paradigms of the current concept-constructive scenario, multiscale and multidisciplinary are essential references for an innovative design approach. Considering sports buildings and architectures as equivalent to infrastructures in the traditional sense means placing them within the complexity of the organization of the contemporary

space that surrounds us. The word infrastructure evokes the dynamic concept of “integrating,” adding something to obtain a complete and functioning system. Adding the word “sport” means, from a semantic and operational point of view, defining a new approach aimed at achieving a global rethinking of the role of sports facilities within society. It also means integrating and connecting currently isolated spaces and places, defining new settlement systems, reordering scattered fragments of cities, creating new levels of experience. Trends in thought, research and development point



Figure 5. Two stadiums in Paris are a few meters from each other of different generations. On the left the brutalist stadium by Roger Taillibert (1972, Parc des Princes, IV Generation), on the right the rugby stadium (Jean Bouin, 1925, then almost completely rebuilt in 2013, V Generation) with the technologically advanced facade in GRC panels which offers a new aesthetic perception (more of a museum than a stadium) of the large building in relation to the urban context.

towards an integration of architecture and urban planning to achieve high-quality and environmentally sustainable design.

Since the beginning of the 2000s, major sporting events have dictated the times and rhythm of constant and exponential innovation in the field of sports architecture: major events which, like the Universal Expositions of the twentieth century or the recent Expos, constitute, for the host countries, the ideal “windows” to show the world one’s political-economic

power, one’s culture and the level of technological innovation achieved. Since 2002, the ability to identify the latest generation sports infrastructures has been demonstrated : the new contemporary ones are characterized by innovative technologies and materials, a renewed sensitivity to ecological-environmental aspects; architectural morphologies that interact with the landscape or systems that infrastructure and innervate the city, providing it with new services for the community; macro-scale design objects with technologically advanced and



Figure 6. Paris La Défense Stadium (Paris, 2017). An example of an urban stadium integrated into a large urban park connecting the La Défense business center, a few meters from the Grand Arche. The technological skin of the facade is used as an element of fragmentation of the large volume and perceptive integration into the context.

luminescent skins that make these architectures the new landmarks of the contemporary city with dream-like symbolism (Figures 7, 8).

Below is a quick overview of some of them: the 2002 World Cup football championships in South Korea and Japan are characterized by the use of technologically advanced materials – in particular lightweight composite membranes (textile and reinforcing fibers of various types) with high performance (Teflon, EFTE, PTFE, etc.) – which during this great sporting event are used extensively for the first time and applied

with easily interchangeable and recyclable modular systems. Materials that also lend themselves well to defining organic and “metabolic” forms directly influenced by the construction tradition and experimental research of the *Metabolism* current of the Seventies, reaching an extraordinary level of refinement and technical-formal complexity in the definition of the technological nodes both in the facades and in roofing.¹⁴ The 2004 European Football Championships in Portugal are instead characterized by the use, albeit in a contemporary key, of traditional materials and construction



Figure 7. Maladière Stadium (Neuchâtel, 2007). Urban stadium as a functional and hybrid hub in which public (fire station, gymnasiums for public schools) and private (shopping centre in the basement) macro-functions are located. The facades are discontinuous with the architecture of the historic centre of Neuchâtel but at the same time they align with it and act as a diaphragm in the dialogue with the lake front.

techniques referring to the material culture of the place, such as for example stone coverings, coloured ceramics (the typical azulejos) or structures “poor” in cast-in-situ concrete, however skilfully integrated into the delicate morphology of the Portuguese territory. There is a clear reference to a certain regionalist constructive and figurative tradition which Portuguese architecture continuously draws on, also through the prolific work of some contemporary masters.

The 2006 World Football Championships in Germany are instead a symbol of the eco-technological turning point in terms of large sports facilities. If in the Portuguese experience environmental compatibility is more clearly expressed in the relationship between materials-morphology-landscape, in the German one the emphasis is placed extensively for the first time (as a guiding paradigm for the organization of the event and its communication), on the theme of environmentally sustainable management of buildings, through the production of energy from



Figure 8. Letzigrund Stadium (Zurich, 1997). Example of redevelopment of an existing historic stadium (1925) with the addition of new stands and functions and a new roof with a construction system that has allowed the creation of a refined and rigorous urban sign, integrated into the urban context. The construction details denote a high-quality approach.

renewable sources, the recovery of rainwater (which will become a consolidated technological and design paradigm in large structures in general) and the reuse-recycling of materials. An objective certainly facilitated by the cultural and political-social sensitivity towards the theme of energy and environmental sustainability in Germany in those years.

The infrastructural experience of the European Championships in Switzerland and Austria in 2008 is along the same lines, in continuity with a strong “techno-ecological” approach: the facilities, smaller in

size, nevertheless present a high technological concentration in terms of refined solutions, extensive use of energy production systems from renewable sources and traditional materials with low environmental impact such as wood. Furthermore, the Swiss approach in particular is based on the typological-functional model of the urban stadium (or stadium-neighbourhood).

The 2010 World Championships in South Africa instead offer a different panorama, less coherent from the point of view of programmatic objectives,



Figure 9. Wankdorf Stadium (Stade de Suisse, Bern, 2005). An urban stadium that until recently was the largest roof-mounted photovoltaic power plant in Europe, it houses public functions such as university spaces.

also reflecting a cultural and political context that is certainly more difficult to manage. South African stadiums thus oscillate between hyper-technological ambitions that characterize new stadiums and poorer traditional solutions, which involve simply bringing existing stadiums up to standard from the point of view of safety and capacity or, at most, a façade restyling capable of making the structures newsworthy.

In some ways a similar discussion can be made for the 2014 World Championships in Brazil: both these events have in common a self-celebratory bigness¹⁵ which led to the creation of mega-systems which

were then difficult to manage and exploit in the post-event phase. The situation was different for the World Championships in Russia 2018 and those in Qatar 2022 whose infrastructures are conceived as media icons, symbols of new geo-political and economic balances and powers even before technological ones, not necessarily directly connected to a consolidated sporting context of reference. In some ways they represent the risk that self-celebration and hyper-technological exaltation lead, on the one hand, to the drift of a “DisneyWorld effect” (symbol of an *Augé-style-non-lieux* and of an *prêt-à-porter architecture*) and, on the other, to the “*tabula-rasa* effect”



Figure 10. Tottenham Hotspurs Stadium (London, 2019). An out of scale urban stadium in existing residential neighbourhoods. Also nicknamed "total-stadium" for the very high technological content used for its management, it denotes a rather "classic" and undifferentiated facade that-making it- quite monumental.

which, in the case of the event in Qatar, led to the creation in a semi-desert area, where in a few years a sort of new "Stadium-City" was born, founded on the construction of seven new stadiums (plus one re-developed) around which as many "neighbourhoods" for entertainment were born (linked however only to the duration of the event), connected by new road system infrastructures (Figures 9, 10).

Simultaneously to this explosion of the big sport-events mentioned above, another interesting trend the field of sports architecture that concerns their

monumental immanence which was given. In addition to the aforementioned dimensional data (generally of the "out-of-scale" compared to the morphological conformation of the urban fabric) by the absence of resilience of these artefacts, rigidly constrained in their own archetypal conformation which makes them, in their historical meaning, basically monofunctional. Precisely these elements underline their monumental meaning which once again contributes to the construction of the city as "a large artefact, a work of engineering and architecture, more or less large, more or less complex,



Figure 11. 974-Stadium (Doha, 2021), is the first example of a stadium that can be completely demountable. Built with recycled containers for the Qatar World Cup, it is the symbol of a quite consolidated technological trend for large sporting events to build infrastructures that are partly or completely adaptable, demountable, flexible and resilient (the latest Olympics in Paris are a clear example of this approach).

which grows over time,"¹⁶ or, as Guido Nardi writes, "from a cultural point of view, the aspect that most characterizes the construction of a sports facility is the monumental role it plays both within the fabric of the city and within the collective imagination and therefore of the social unconscious."¹⁷ This aspect of historical stratification, almost "archaeological" in its vertical reading, which characterizes many sports architectures, constitutes a sort of "barometer" of the construction and changes of the city.¹⁸ They, like infrastructural routes, are constant permanences in the evolution of the city and in the same way as

infrastructural routes once abandoned become elements of critical discontinuity in the urban fabric. Also, for this reason there are many completed and on-going projects which outline a clear trend in the design approach with respect to these sports "monuments": their maintenance of the structures and identity of the places and at the same time a profound restyling in technological terms -typological and morphological that can guarantee their use in accordance with the most recent international regulations and performance parameters.




Figure 12. Lusail Stadium (Doha, 2022). Technologically advanced skin as a symbol and metaphor of the identity of the place where the stadium is located.

Usually these operations focus on creating new multifunctional spaces under the stands delimited by new facade and the introduction of new high-performance roofs that provide lighting and environmental comfort for the public and, in some cases, on the insertion of mobile elements (pitch, stands, roofing itself) to allow the holding of events of different nature. Among the many here mentioned, the example of the Bernabeu stadium (Madrid, nearing completion) stand out. It constitutes a construction of a new fully closed mobile roof and the insertion of a new skin characterized by curved blades in stainless steel that flow around the structure creating an asymmetric pattern at the same time sculptural and dynamic, which generates different plays of light

throughout the day and seasons. To complete the façade a retractable roof was provided, which will allow the stadium to be used throughout the year and for different events. At night a LED lighting system will project multimedia content on a large scale.¹⁹ In addition to this, the stadium has been equipped with a “packable” mobile pitch to make the most of the arena for concerts and other events. Also in Spain, the Camp Nou stadium (2024, under construction), where a more evident perception of the original structure is maintained, and a more “traditional” covering is inserted on all the stands. A new EFTE skin has been designed for the Johan Crujff Arena (Amsterdam, 2024) which allows the addition of new commercial spaces.

Other less “invasive” interventions can be considered the one on the Berlin Olympic Stadium (2006) - with the restoration and philological consolidation of the existing structure (reinforced concrete and cladding stone) and the insertion of a new light roof with a steel structure and composite textile skin – and the one, similar in approach, on the Luzhniki Stadium (Moscow, 2018). Specifically in the Italian context, the approach on existing stadiums usually involves the maintenance of the main stand (almost always subject to historical-architectural constraints) and the addition of three new stands with relative new coverage.²⁰

FUTURE PERSPECTIVES: BIG SPORTING EVENTS AND INCREASINGLY TECHNOLOGICALLY ADVANCED INFRASTRUCTURES

At the end of this general overview, we can therefore state that the field of sports architecture is in constant and continuous evolution, both from a technological (process and product) and functional and social point of view.²¹ Sport in its general sense is becoming increasingly important in contemporary societies and its places are evolving very rapidly at the same time. The so-called Big Sports Events take place every year, becoming extraordinary opportunities for innovation at every level and, at the same time, the need to renew and redevelop the existing architectural heritage or to build new places for sport to achieve a more and more increasing sport-demand, will make sports architecture (and its design, construction and management) increasingly strategic. Suffice it to say that in recent years the focus is increasingly shifting from the hard infrastructure (the large stadium or arena) to the soft one, the latter understood as that set of activities and places for sport which are widespread, widespread, spontaneous, directly connected and integrated with urban public space. This means that the physical place itself loses importance in favor of an increasingly expanded, permeable and fluid use of spaces for sport, without a solution of continuity

between parks, open spaces, public squares and the stadiums themselves, which thus become nodes and service hubs only if considered within this network of relationships - material and virtual - that integrate our cities and our landscapes.²²

Notes and References

- 1 Benjamin Flowers, *Sport and Architecture* (London: Routledge, 2017), 3.
- 2 The size of these artefacts, such as their large structural roof spans, has been a challenge for designers and builders since ancient times.
- 3 Antonio Cruz and Antonio Ortiz, “Arquitectura para el deporte: El estadio,” *En Blanco. Revista de Arquitectura* 4, no.8 (March 2012): 16-23.
- 4 For a study of the “stadium-type.” “Lo studio delle ragioni formali degli stadi moderni ci riconduce agli esempi di due popoli mediterranei, i Greci e i Romani, che in questo campo erano giunti alla creazione di architetture definitive ed esemplari, durate utili per secoli, tipiche per la loro armonia mirabile tra necessità e forma”, *Prefazione*. See also the fundamental text by Giuseppe De Finetti: *Stadi. Esempi Tendenze Progetti*, (Milano: Ulrico Hoepli Editore, 1934).
- 5 Carlos García Tolosana, “Módulo deportivo universitario. Campus de Somosaguas. Universidad Complutense de Madrid,” *Informes De La Construcción* 48, no. 448 (1997): 36-46.
- 6 Bernard Rudowsky, *Architecture without Architects. A Short Introduction to Non-Pedigree Architecture* (New York: MoMA Press Release, 1964).
- 7 “From the second half of the nineteenth century, it is possible to recognize the passage between traditional and modern games. From 1863 onwards (the year of establishing the modern rules of football), the generational division is as follows: Generation I (1863-1920): birth of modern soccer and mass sport sociology; Generation II (1920-1960/70): large arenas as a representation of power; Generation III (1960/70-1989): low-tech tin and concrete architecture; Generation IV (1992-2002): the post-Taylor Report New Deal for stadiums; Generation V (2002-2016): Great Events and the establishment of the stadium as a high-tech identity icon on a global scale; Generation VI (2018-2023-?): design and technology for sports and leisure theme parks.” Davide Allegri, *Contemporary project and technological innovation. Architecture, engineering, design*, in Emilio Faroldi, *Sport Architecture. Design Construction Management of Sport Infrastructure*, (Siracusa: Lettera Ventidue, 2020), 25-45.
- 8 In fact, the *Colosseum* also stood out for the innovative use of the volume located below the stage, a choice that forced the ancient builders to adopt complex waterproofing and water discharge systems. Even previously, in the Republican era, temporary arenas had been built with a sophisticated and complex construction system of wooden elements, somehow anticipating the theme of flexibility which is now a fundamental theme. See the structures just completed for the Paris 2024 Olympic Games.
- 9 Ingrid Paoletti, *Una finestra sul trasferimento. Tecnologie innovative per l'architettura* (Milano: Libreria CLUP, 2000). See on the concept of *technology transfer*.
- 10 Tony Garnier's design for the Stade de Colombes for the 1924 Paris Olympics, with reinforced concrete stands and iron roofing. See for example
- 11 Micaela Antonucci, Annalisa Trentis, Tomaso Trombetti, Pierluigi Nervi. *Gli stadi per il calcio* (Bologna University Press, 2014). See also.
- 12 Aldo Capasso, *Architettura atopica e tensostrutture a membrana. Segno e segni del nuovo archetipo costruttivo tra etica e forma* (Napoli: CLEAN, 2019).
- 13 A system then adopted in several other cases in more recent times, in particular by the GMP Von Gerkan Murg and Partner studio.

- ¹⁴ Almost all the stadiums built for this event also have a reference - in the form, in the materials used, in the techniques - to the material culture and to the constructive and popular translations of the places.
- ¹⁵ Rem Koolhaas, *Junkspace*, (Macerata: Quodlibet, 2006). About this concept see also.
- ¹⁶ Aldo Rossi, *L'architettura della città* (Milano: Il Saggiatore, 2018), 23.
- ¹⁷ Guido Nardi, *La tecnica nell'architettura per lo sport: note intorno all'auspicata fine di un culto monumentale*, in *Impianti Sportivi Parchi Giardini* (Milano: Electa, 1990), 53.
- ¹⁸ Emilio Faroldi, *Lo sport: indicatore culturale di rigenerazione fisica e sociale. Architettura, paesaggi, lineamenti* (Mendrisio: Espazium, 2023).
- ¹⁹ Lucia Brandoli, *New facade for Real Madrid's Estadio Santiago Bernabéu nearly complete* (Milano: Editorialedomus, Domusweb, 18 settembre 2023).
- ²⁰ The cases of the Bergamo and Udine stadiums. See for example.
- ²¹ In a recent document produced as part of research on the prospects of the "Stage of the Future", a sort of decalogue of paradigms was formulated which outline the main development themes (in the original document all of them are extensively described, here they are reported as only the precise list is known): Stadium-Accessible, Stadium-Urban, Stadium-Smart Stadium-Sustainable, Stadium-Multifunctional, Stadium-Resilient, Stadium-Technological, Stadium-Safe, Stadium-U.E.F.A., Stadium-Cultural.
- ²² The complexity and specificity of the sports infrastructure sector requires excellent training programs capable of preparing sector professionals for the design, construction and management of sports venues. The *International Master in Sport Design and Management*, held since 2017 at the Polytechnic of Milan, directed and coordinated by Emilio Faroldi and Davide Allegri in collaboration and synergy with the Graduate School of Management (Gsom-POLIMI), is placed in this perspective.

BIBLIOGRAPHY

- Allegri, Davide, Alessandra Annibale, Emily Chiesa, Arnaud Lapertot, Gabriele Masera, and Giulia Prelli. "Technology to Build Architecture: Application of Adaptive Facade on a New Multifunctional Arena", in *Innovations in Smart Cities Applications (Volume 7)*, edited by Mohamed Ben Ahmed, Anouar Abdelhakim Boudhir, Rani El Meouche and İsmail Rakip Karaş. Springer, 2024.
- Allegri, Davide, and Silvia Battaglia. "Sports Architecture: High-Tech Urban Infrastructure between Identity, Enhancement, and Redevelopment." In *High-Tech Heritage. (Im)Permanence of Innovative Architecture*, edited by Matthias Brenner, Silke Langenberg, Kirsten Angermann, and Hans-Rudolf Meier. Birkhäuser, 2024, <https://doi.org/10.1515/9783035627862-015>
- Allegri, Davide, and Emilio Faroldi. *Progettare lo Sport. Teorie Ricerche Architetture*, Lettera Ventidue, 2024.
- Allegri, Davide, and Maria Pilar Vettori. "Resilience and technological culture of design: the centrality of method." *TECHNE Journal of Technology for Architecture and Environment*, no. 15 (2018): 165-74.
- Allegri, Davide. "Contemporary project and technological innovation. Architecture, engineering, design." *Sport Architecture. Design Construction Management of Sport Infrastructure*. Edited by Emilio Faroldi, Lettera Ventidue, 2020. <https://hdl.handle.net/11311/1149020>
- Antonucci, Micaela, Annalisa Trentis, and Tomaso Trombetti. *Pierluigi Nervi. Gli stadi per il calcio*. Bologna University Press, 2014.
- Capasso, Aldo. *Architettura atopica e tensostrutture a membrana. Segno e segni del nuovo archetipo costruttivo tra etica e forma*. CLEAN, 2019.
- Cruz, Antonio, and Antonio Ortiz. "Arquitectura Para El Deporte: El Estadio." *EN BLANCO. Revista De Arquitectura* 8, no. 4 (March 2012): 16-23. <https://doi.org/10.4995/eb.2012.6896>.
- De Finetti, Giuseppe. *Stadi. Esempi Tendenze Progetti*. Ulrico Hoepli, 1934.
- Flowers, Benjamin. *Sport and Architecture*. Routledge, 2017.
- García Tolosana, C. "Módulo deportivo universitario. Campus de Somosaguas. Universidad Complutense de Madrid." *Informes De La Construcción* 48, no. 448 (April 1997): 36-46. <https://doi.org/10.3989/ic.1997.v48.i448.964>
- Paoletti, Ingrid. *Una finestra sul trasferimento. Tecnologie innovative per l'architettura*. Libreria CLUP, 2000.
- Rudowsky, Bernard. *Architecture without Architects. A Short Introduction to Non-Pedigree Architecture*. MoMA Press Release, 1964.

Images source

- 1-10. Davide Allegri. 11,12. Tommaso Gnani.