

Automatic Sarcasm Detection: A Survey

ADITYA JOSHI, IITB-Monash Research Academy
PUSHPAK BHATTACHARYYA, Indian Institute of Technology Bombay
MARK J CARMAN, Monash University

Automatic sarcasm detection is the task of predicting sarcasm in text. This is a crucial step to sentiment analysis, considering prevalence and challenges of sarcasm in sentiment-bearing text. Beginning with an approach that used speech-based features, sarcasm detection has witnessed great interest from the sentiment analysis community. This paper is the first known compilation of past work in automatic sarcasm detection. We observe three milestones in the research so far: semi-supervised pattern extraction to identify implicit sentiment, use of hashtag-based supervision, and use of context beyond target text. In this paper, we describe datasets, approaches, trends and issues in sarcasm detection. We also discuss representative performance values, shared tasks and pointers to future work, as given in prior works. In terms of resources that could be useful for understanding state-of-the-art, the survey presents several useful illustrations - most prominently, a table that summarizes past papers along different dimensions such as features, annotation techniques, data forms, etc.

Additional Key Words and Phrases: Sarcasm, Sentiment, Opinion, Sarcasm detection, Sentiment Analysis

1. INTRODUCTION

The Free Dictionary¹ defines sarcasm as a form of verbal irony that is intended to express contempt or ridicule². The figurative nature of sarcasm makes it an often-quoted challenge for sentiment analysis [Liu 2010]. It has an implied negative sentiment, but a positive surface sentiment. This led to interest in automatic sarcasm detection as a research problem. Automatic sarcasm detection refers to computational approaches to predict if a given text is sarcastic. This problem is hard because of nuanced ways in which sarcasm may be expressed.

Starting with the earliest known work by Tepperman et al. [2006] which deals with sarcasm detection in speech, the area has seen wide interest from the natural language processing community as well. Following that, sarcasm detection from text has extended to different data forms (tweets, reviews, TV series dialogues), and spanned sev-

¹www.thefreedictionary.com

²Sarcasm is a form of verbal irony. This explains the relationship between sarcasm and irony. Past work in sarcasm detection often says ‘we use the two interchangeably’

eral approaches (rule-based, supervised, semi-supervised). This synergy has resulted in interesting innovations for automatic sarcasm detection. The goal of this survey paper³ is to look back at past work in computational sarcasm detection to enable new researchers to understand state-of-the-art.

Our paper looks at sarcasm detection in six steps: problem formulation, datasets, approaches, reported performance, trends and issues. We also discuss shared tasks related to sarcasm detection and future areas as pointed out in past work.

The rest of the paper is organized as follows. Section 2 first describes sarcasm studies in linguistics. Section 3 then presents different problem definitions for sarcasm detection. Sections 4 and 5 discuss datasets and approaches reported for sarcasm detection, respectively. Section 7 highlights trends underlying sarcasm detection, while Section 8 discusses recurring issues. Section 9 concludes the paper.

2. SARCASM STUDIES IN LINGUISTICS

Sarcasm as a linguistic phenomenon has been widely studied. Before we begin with approaches for automatic sarcasm detection, we present an introduction to sarcasm studies in linguistics.

Several representations and taxonomies for sarcasm have been proposed:

- (1) Campbell and Katz [2012] state that sarcasm occurs along several dimensions, namely, failed expectation, pragmatic insincerity, negative tension, and presence of a victim.
- (2) Camp [2012] show that there are four types of sarcasm: (1) **Propositional**: Such sarcasm appears to be a non-sentiment proposition but has an implicit sentiment involved, (2) **Embedded**: This type of sarcasm has an embedded sentiment incongruity in the form of words and phrases themselves, (3) **Like-prefixed**: A like-phrase provides an implied denial of the argument being made, and (4) **Illocutionary**: This kind of sarcasm involves non-textual clues that indicate an attitude opposite to a sincere utterance. In such cases, prosodic variations play a role in sarcasm expression.
- (3) **6-tuple representation**: Ivanko and Pexman [2003] define sarcasm as a 6-tuple consisting of $\langle S, H, C, u, p, p' \rangle$ where:

S = Speaker , H = Hearer/Listener
C = Context, u = Utterance
p = Literal Proposition
p' = Intended Proposition

The tuple can be read as ‘*Speaker S generates an utterance u in Context C meaning proposition p but intending that hearer H understands p'*’. Consider the following example. If a teacher says to a student, “That’s how assignments should be done!” and if the student knows that (s)he has barely completed the assignment, the student would understand the sarcasm. In context of the 6-tuple above, the properties of this sarcasm would be:

S: Teacher, H: Student

C: The student has not completed his / her assignment.

u: “That’s how assignments should be done!”

p: You have done a good job at the assignment.

³Wallace [2013] is a survey of linguistic challenges of computational irony. Their paper focuses on linguistic theories and possible applications of these theories for sarcasm detection. On the contrary, we deal with the computational angle, and present a survey of ‘*computational*’ sarcasm detection techniques.

p: You have done a bad job at the assignment.

- (4) Eisterhold et al. [2006] state that sarcasm can be understood in terms of the response it elicits. They observe that the responses to sarcasm may be laughter, zero response, smile, sarcasm (in return), a change of topic (because the listener was not happy with the caustic sarcasm), literal reply and non-verbal reactions.
- (5) **Situational disparity theory**: According to Wilson [2006], sarcasm arises when there is situational disparity between text and a contextual information.
- (6) **Negation theory of sarcasm**: Giora [1995] state that irony/sarcasm is a form of negation in which an explicit negation marker is lacking. In other words, when one expresses sarcasm, a negation is intended, without putting a negation word like ‘not’.

In the context of the theories described here, some challenges typical to sarcasm are: (1) Identification of common knowledge, (2) Identification of what constitutes ridicule, (3) Speaker-listener context (*i.e.*, knowledge shared by the speaker and the listener). As we will see in the next sections, the focus of automatic sarcasm detection approaches in the past has been (1) and (3) where they capture context using different techniques.

3. PROBLEM DEFINITION

We now look at how the problem of automatic sarcasm detection has been defined, in past work. The most common formulation for sarcasm detection is a **classification** task. Given a piece of text, the goal is to predict whether or not it is sarcastic. However, past work varies in terms of what these output labels are. For example, understanding the relationship between sarcasm, irony and humor, Barbieri et al. [2014b] consider labels for the classifier as: politics, humor, irony and sarcasm. Reyes et al. [2013] use a similar formulation and provide pair-wise classification performance for these labels.

Other formulations for sarcasm detection have also been reported. Joshi et al. [2016a] deviate from the traditional classification definition and model sarcasm detection for dialogue as a sequence labeling task. Each utterance in a dialogue is considered to be an observed unit in this sequence, whereas sarcasm labels are the hidden variables whose values need to be predicted. Ghosh et al. [2015a] model sarcasm detection as a **sense disambiguation** task. They state that a word may have a literal sense and a sarcastic sense. Their goal is to identify the sense of a word in order to detect sarcasm.

Table I shows a matrix that summarizes past work in automatic sarcasm detection. While several interesting observations are possible from the table, two are key: (a) tweets are the predominant text form for sarcasm detection, and (b) incorporation of extra-textual context is a recent trend in sarcasm detection.

A note on languages

Most research in sarcasm detection exists for English. However, some research in the following languages has also been reported: Chinese [Liu et al. 2014], Italian [Barbieri et al. 2014a], Czech [Ptáček et al. 2014], Dutch [Liebrecht et al. 2013], Greek [Charalampakis et al. 2016], Indonesian [Lunando and Purwarianti 2013] and Hindi [Desai and Dave 2016].

4. DATASETS

This section describes different datasets used for experiments in sarcasm detection. We divide them into three classes: short text (typically characterized by noise and situations where length is limited by the platform, as in tweets), long text (such as discussion forum posts) and other datasets.

Table I. Summary of sarcasm detection along different parameters

	Datasets			Approach		Annotatn.			Features					Context			
	Short Text	Long Text	Other	Rule-based	Semi-superv.	Superv	Manual	Distant	Other	Unigram	Sentiment	Pragmatic	Patterns	Other	Author	Conversation	Other
[Kreuz and Caucci 2007]			✓				✓			✓							
[Tsur et al. 2010]		✓			✓		✓			✓							
[Davidov et al. 2010]		✓			✓		✓			✓			✓				
[Veale and Hao 2010]			✓	✓					✓	✓							
[González-Ibáñez et al. 2011]	✓					✓		✓		✓	✓	✓					
[Reyes et al. 2012]	✓					✓		✓		✓	✓	✓		✓			
[Reyes and Rosso 2012]		✓				✓	✓			✓	✓			✓			
[Filatova 2012]		✓					✓										
[Riloff et al. 2013]	✓				✓		✓			✓		✓	✓				
[Lukin and Walker 2013]		✓			✓		✓			✓			✓				
[Liebrecht et al. 2013]	✓					✓		✓			✓		✓		✓		
[Reyes et al. 2013]	✓					✓		✓		✓	✓	✓		✓			
[Reyes and Rosso 2014]	✓	✓				✓		✓		✓	✓	✓		✓			
[Rakov and Rosenberg 2013]			✓			✓	✓			✓				✓			
[Barbieri et al. 2014b]	✓					✓		✓			✓			✓			
[Maynard and Greenwood 2014]	✓			✓			✓			✓	✓			✓			
[Wallace et al. 2014]		✓					✓										
[Buschmeier et al. 2014]		✓				✓			✓	✓	✓				✓		
[Barbieri et al. 2014a]	✓					✓		✓		✓			✓				
[Joshi et al. 2015]	✓	✓				✓	✓	✓		✓	✓	✓	✓				
[Khattri et al. 2015]	✓			✓		✓	✓			✓	✓				✓		
[Rajadesingan et al. 2015]	✓					✓		✓		✓	✓			✓	✓	✓	
[Bamman and Smith 2015]	✓					✓		✓		✓	✓	✓		✓	✓	✓	✓
[Wallace 2015]		✓				✓	✓			✓	✓			✓		✓	✓
[Ghosh et al. 2015b]	✓			✓	✓	✓		✓		✓		✓		✓			
[Hernández-Farías et al. 2015]	✓					✓		✓		✓	✓	✓		✓			
[Wang et al. 2015]	✓					✓			✓							✓	
[Ghosh et al. 2015a]			✓				✓			✓				✓			
[Liu et al. 2014]	✓	✓				✓		✓		✓	✓	✓		✓			
[Bharti et al. 2015]	✓				✓			✓		✓	✓		✓				
[Fersini et al. 2015]	✓					✓		✓		✓		✓		✓			
[Bouazizi and Ohtsuki 2015a]	✓					✓	✓			✓		✓		✓			
[Muresan et al. 2016]	✓					✓		✓		✓	✓	✓					
[Abhijit Mishra and Bhattacharyya 2016]	✓	✓	✓	✓			✓			✓	✓	✓		✓			
[Joshi et al. 2016a]			✓			✓	✓			✓	✓				✓	✓	
[Abercrombie and Hovy 2016]	✓					✓	✓			✓					✓	✓	✓
[Silvio Amir et al. 2016]	✓					✓		✓							✓		
[Ghosh and Veale 2016]	✓					✓	✓										
[Bouazizi and Ohtsuki 2015b]	✓				✓			✓		✓		✓					
[Joshi et al. 2016b]			✓			✓		✓		✓				✓			

Table II. Summary of sarcasm-labeled datasets

Text form	Related Work
Tweets	Manual: [Riloff et al. 2013; Maynard and Greenwood 2014; Ptáček et al. 2014; Abhijit Mishra and Bhattacharyya 2016; Abercrombie and Hovy 2016]
	Hashtag-based: [Davidov et al. 2010; González-Ibáñez et al. 2011; Reyes et al. 2012; Reyes et al. 2013; Barbieri et al. 2014a; Joshi et al. 2015; Ghosh et al. 2015b; Bharti et al. 2015; Liebrecht et al. 2013; Bouazizi and Ohtsuki 2015a; Wang et al. 2015; Barbieri et al. 2014b; Bamman and Smith 2015; Fersini et al. 2015; Khattri et al. 2015; Rajadesingan et al. 2015; Abercrombie and Hovy 2016]
Reddits	[Wallace et al. 2014; Wallace 2015]
Long text (Reviews, etc.)	[Lukin and Walker 2013; Reyes and Rosso 2014; Reyes and Rosso 2012; Buschmeier et al. 2014; Liu et al. 2014; Filatova 2012]
Other datasets	[Tepperman et al. 2006; Kreuz and Caucci 2007; Veale and Hao 2010; Rakov and Rosenberg 2013; Ghosh et al. 2015a; Joshi et al. 2016a; Abercrombie and Hovy 2016]

4.1. Short text

Social media makes available several forms of data. However, because of word limit, text on some platforms tends to be short. However, datasets of tweets have been popular for sarcasm detection. This may be because of availability of the Twitter API and popularity of twitter as a medium. One approach to obtain labels for tweets is manual annotation. Riloff et al. [2013] introduce a dataset of tweets, manually annotated as sarcastic or not. Maynard and Greenwood [2014] study sarcastic tweets and their impact to sarcasm classification. They experiment with around 600 tweets which are marked for subjectivity, sentiment and sarcasm. Ptáček et al. [2014] present a dataset of 7000 manually labeled tweets in Czech.

The second technique to create datasets is the use of hashtag-based supervision. Many approaches use hashtags in tweets as indicators of sarcasm, to create labeled datasets. The popularity of this approach (over manual annotation) can be attributed to various factors: (a) No one but the author of a tweet can determine if it was sarcastic. A hashtag is a label provided by authors themselves, (b) The approach allows creation of large-scale datasets. In order to create such a dataset, tweets containing particular hashtags are labeled as sarcastic. Davidov et al. [2010] use a dataset of tweets, which are labeled with hashtags such as #sarcasm, #sarcastic, #not, etc. González-Ibáñez et al. [2011] also use hashtag-based supervision for tweets. However, they retain examples where it occurs at the end of a tweet but eliminate cases where the hashtag is a part of the running text. For example, ‘#sarcasm is popular among teens’ is eliminated. Reyes et al. [2012] use similar approach. Reyes et al. [2013] use a dataset of 40000 tweets labeled as sarcastic or not, using hashtags. Ghosh et al. [2015b] present hashtag-annotated dataset of tweets: 1000 trial, 4000 development and 8000 test tweets. Liebrecht et al. [2013] use ‘#not’ to download and label their tweets. Barbieri et al. [2014b] create a dataset using hashtag-based supervision based on hashtags indicated by multiple labels: politics, sarcasm, humor and irony. Other works using this approach have also been reported [Barbieri et al. 2014a; Joshi et al. 2015; Bharti et al. 2015; Bouazizi and Ohtsuki 2015a; Abercrombie and Hovy 2016].

However, use of distant supervision using hashtags poses challenges, and may require quality control. To ensure quality, Bamman and Smith [2015] label tweets as: the positive tweets are the ones containing #sarcasm the negative tweets are assumed to be the one not containing these labels. Fersini et al. [2015] present a dataset of 8K tweets where the initial label is based on the hashtag. To ensure quality, these tweets are additionally labelled by annotators.

Twitter also provides access to additional context. Hence, in order to predict sarcasm, supplementary datasets⁴ have also been used for sarcasm detection. Khattri et al. [2015] use a supplementary set of complete twitter timeline (limited to 3200 tweets, by Twitter) to establish context for a given dataset of tweets. [Rajadesingan et al. 2015] use a dataset of tweets, labeled by hashtag-based supervision along with a historical context of 80 tweets per author.

Like supplementary datasets, supplementary annotation (*i.e.*, annotation apart from sarcasm/non-sarcasm) has also been explored. Abhijit Mishra and Bhattacharyya [2016] capture cognitive features based on eye-tracking. They employ annotators who are asked to determine the sentiment (and not ‘sarcasm/not-sarcasm’, since, as per their claim, it can result in priming) of a text. While the annotators read the text, their eye movements are recorded by an eye-tracker. This eye-tracking information serves as supplementary annotation.

Other social media text includes reddit. Wallace et al. [2014] create a corpus of reddit posts of 10K sentences, from 6 reddit topics. [Wallace 2015] present a dataset of reddit comments - 5625 sentences.

4.2. Long text

Reviews and discussion forum posts have also been used as sarcasm-labeled datasets. Lukin and Walker [2013] present Internet Argument Corpus that marks a dataset of discussion forum posts with multiple labels one of them being sarcasm. Reyes and Rosso [2014] create a dataset of movie reviews, book reviews and news articles marked with sarcasm and sentiment. Reyes and Rosso [2012] deal with products that saw a spate of sarcastic reviews all of a sudden. The dataset consists of 11000 reviews. Filatova [2012] use a sarcasm-labeled dataset of around 1000 reviews. Buschmeier et al. [2014] create a labeled set of 1254 Amazon reviews, out of which 437 are ironic. Tsur et al. [2010] consider a large dataset of 66000 amazon reviews. Liu et al. [2014] use a dataset from multiple sources such as Amazon, Twitter, Netease and Netease. In these cases, the datasets are manually annotated because markers like hashtags are not available.

4.3. Other datasets

Other novel datasets have also been used. Tepperman et al. [2006] use 131 call center transcripts. Each occurrence of ‘yeah right’ is marked as sarcastic or not. The goal is to identify which ‘yeah right’ is sarcastic. Kreuz and Caucci [2007] use 20 sarcastic excerpts and 15 non-sarcastic excerpts, which are marked by 101 students. The goal is to identify lexical indicators of sarcasm. Veale and Hao [2010] focus on identifying which similes are sarcastic. Hence, they first search the web for the pattern ‘* as a *’. This results in 20,000 distinct similes which are then marked as sarcastic or not. Rakov and Rosenberg [2013] create a crowdsourced dataset of sentences from a MTV show, Daria. On similar lines, Joshi et al. [2016a] report their results on a manually annotated dataset of the TV Series ‘Friends’. Every ‘utterance’ (sic) in a scene is annotated with two labels: sarcastic or not sarcastic. Ghosh et al. [2015a] use a crowdsourcing tool to obtain a non-sarcastic version of a sentence if applicable. For example ‘Who doesn’t love being ignored’ is expected to be corrected to ‘Not many love being ignored’. Abhijit Mishra and Bhattacharyya [2016] create a manually labeled dataset of quotes from a website called sarcasmsociety.com.

⁴‘Supplementary’ datasets refer to text that does not need to be annotated but that will contribute to the judgment of the sarcasm detector

5. APPROACHES

Following the discussion on datasets, we now describe approaches used for sarcasm detection. In general, approaches to sarcasm detection can be classified into: rule-based, statistical and deep learning-based approaches. We look at these approaches in the next subsections. Following that, we describe shared tasks in conferences that deal with sarcasm detection.

5.1. Rule-based Approaches

Rule-based approaches attempt to identify sarcasm through specific evidences. These evidences are captured in terms of rules that rely on indicators of sarcasm. Veale and Hao [2010] focus on identifying whether a given simile (of the form “* as a *”) is intended to be sarcastic. They use Google search in order to determine how likely a simile is. They present a 9-step approach where at each step/rule, a simile is validated using the number of search results. A strength of this approach is that they present an error analysis corresponding to multiple rules. Maynard and Greenwood [2014] propose that hashtag sentiment is a key indicator of sarcasm. Hashtags are often used by tweet authors to highlight sarcasm, and hence, if the sentiment expressed by a hashtag does not agree with rest of the tweet, the tweet is predicted as sarcastic. They use a hashtag tokenizer to split hashtags made of concatenated words. Bharti et al. [2015] present two rule-based classifiers. The first uses a parse-based lexicon generation algorithm that creates parse trees of sentences and identifies situation phrases that bear sentiment. If a negative phrase occurs in a positive sentence, it is predicted as sarcastic. The second algorithm aims to capture hyperboles by using interjection and intensifiers occur together. Riloff et al. [2013] present rule-based classifiers that look for a positive verb and a negative situation phrase in a sentence. The set of negative situation phrases are extracted using a well-structured, iterative algorithm that begins with a bootstrapped set of positive verbs and iteratively expands both the sets (positive verbs and negative situation phrases). They experiment with different configurations of rules such as restricting the order of the verb and situation phrase.

5.2. Statistical Approaches

Statistical approaches to sarcasm detection vary in terms of features and learning algorithms. We look at the two in forthcoming subsections.

5.2.1. Features Used. In this subsection, we look at the set of features that have been reported for statistical sarcasm detection. Most approaches use bag-of-words as features. However, in addition to these, there are peculiar features introduced in different works. Table III summarizes sets of features used for statistical approaches. In this subsection, we focus on features related to the text to be classified. Contextual features (*i.e.*, features that use information beyond the text to be classified) are described in a latter subsection.

Tsur et al. [2010] design pattern-based features that indicate presence of discriminative patterns as extracted from a large sarcasm-labeled corpus. To allow generalized patterns to be spotted by the classifiers, these pattern-based features take real values based on three situations: exact match, partial overlap and no match. González-Ibáñez et al. [2011] use sentiment lexicon-based features. In addition, pragmatic features like emoticons and user mentions are also used. Reyes et al. [2012] introduce features related to ambiguity, unexpectedness, emotional scenario, etc. Ambiguity features cover structural, morpho-syntactic, semantic ambiguity, while unexpectedness features measure semantic relatedness. Riloff et al. [2013] use a set of patterns, specifically positive verbs and negative situation phrases, as features for a classifier (in addition to a rule-based classifier). Liebrecht et al. [2013] introduce bigrams and tri-

grams as features. Reyes et al. [2013] explore skip-gram and character n-gram-based features. Maynard and Greenwood [2014] include seven sets of features. Some of these are maximum/minimum/gap of intensity of adjectives and adverbs, max/min/average number of synonyms and synsets for words in the target text, etc. Apart from a subset of these, Barbieri et al. [2014a] use frequency and rarity of words as indicators. Buschmeier et al. [2014] incorporate ellipsis, hyperbole and imbalance in their set of features. Joshi et al. [2015] use features corresponding to the linguistic theory of incongruity. The features are classified into two sets: implicit and explicit incongruity-based features. Ptáček et al. [2014] use word-shape and pointedness features given in the form of 24 classes. Rajadesingan et al. [2015] use extensions of words, number of flips, readability features in addition to others. Hernández-Farías et al. [2015] present features that measure semantic relatedness between words using Wordnet-based similarity. Liu et al. [2014] introduce POS sequences and semantic imbalance as features. Since they also experiment with Chinese datasets, they use language-typical features like use of homophony, use of honorifics, etc. Abhijit Mishra and Bhattacharyya [2016] conduct additional experiments with human annotators where they record their eye movements. Based on these eye movements, they design a set of gaze based features such as average fixation duration, regression count, skip count, etc. In addition, they also use complex gaze-based features based on saliency graphs which connect words in a sentence with edges representing saccade between the words.

5.2.2. Learning Algorithms. A variety of classifiers have been experimented for sarcasm detection. Most work in sarcasm detection relies on SVM [Joshi et al. 2015; Tepperman et al. 2006; Kreuz and Caucci 2007; Tsur et al. 2010; Davidov et al. 2010] (or SVM-Perf as in the case of Joshi et al. [2016b]). González-Ibáñez et al. [2011] use SVM with SMO and logistic regression. Chi-squared test is used to identify discriminating features. Reyes and Rosso [2012] use Naive Bayes and SVM. They also show Jaccard similarity between labels and the features. Riloff et al. [2013] compare rule-based techniques with a SVM-based classifier. Liebrecht et al. [2013] use balanced winnow algorithm in order to determine high-ranking features. Reyes et al. [2013] use Naive Bayes and decision trees for multiple pairs of labels among irony, humor, politics and education. Bamman and Smith [2015] use binary logistic regression. Wang et al. [2015] use SVM-HMM in order to incorporate sequence nature of output labels in a conversation. Liu et al. [2014] compare several classification approaches including bagging, boosting, etc. and show results on five datasets. On the contrary, Joshi et al. [2016a] experimentally validate that for conversational data, sequence labeling algorithms perform better than classification algorithms. They use SVM-HMM and SEARN as the sequence labeling algorithms.

5.3. Deep Learning-based Approaches

As architectures based on **deep learning** techniques gain popularity, few such approaches have been reported for automatic sarcasm detection as well. Joshi et al. [2016b] use similarity between word embeddings as features for sarcasm detection. They augment features based on similarity of word embeddings related to most congruent and incongruent word pairs, and report an improvement in performance. The augmentation is key because they observe that using these features alone does not suffice. Silvio Amir et al. [2016] present a novel convolutional network-based that learns user embeddings in addition to utterance-based embeddings. The authors state that it allows them to learn user-specific context. They report an improvement of 2% in performance. Ghosh and Veale [2016] use a combination of convolutional neural network, LSTM followed by a DNN. They compare their approach against recursive SVM, and show an improvement in case of deep learning architecture.

Table III. Summary of Features used for Statistical Classifiers

	Salient Features
[Tsur et al. 2010]	Sarcastic patterns, Punctuations
[González-Ibáñez et al. 2011]	User mentions, emoticons, unigrams, sentiment-lexicon-based features
[Reyes et al. 2012]	Ambiguity-based, semantic relatedness
[Reyes and Rosso 2012]	N-grams, POS N-grams
[Riloff et al. 2013]	Sarcastic patterns (Positive verbs, negative phrases)
[Liebrecht et al. 2013]	N-grams, emotion marks, intensifiers
[Reyes et al. 2013]	Skip-grams, Polarity skip-grams
[Barbieri et al. 2014b]	Synonyms, Ambiguity, Written-spoken gap
[Buschmeier et al. 2014]	Interjection, ellipsis, hyperbole, imbalance-based
[Barbieri et al. 2014a]	Freq. of rarest words, max/min/avg # synsets, max/min/avg # synonyms
[Joshi et al. 2015]	Unigrams, Implicit incongruity-based, Explicit incongruity-based
[Rajadesingan et al. 2015]	Readability, flips, etc.
[Hernández-Farías et al. 2015]	Length, capitalization, semantic similarity
[Liu et al. 2014]	POS sequences, Semantic imbalance. Chinese-specific features such as homophones, use of honorifics
[Ptáček et al. 2014]	Word shape, Pointedness, etc.
[Abhijit Mishra and Bhat-tacharyya 2016]	Cognitive features derived from eye-tracking experiments
[Bouazizi and Ohtsuki 2015b]	Pattern-based features along with word-based, syntactic, punctuation-based and sentiment-related features
[Joshi et al. 2016b]	Features based on word embedding similarity

5.4. Shared Tasks

Shared tasks in conferences allow a common dataset to be shared across multiple teams, for a comparative evaluation. Two shared tasks related to sarcasm detection have been conducted in the past. Ghosh et al. [2015b] is a shared task from SemEval-2015 that deals with sentiment analysis of figurative language. The organizers provided a dataset of ironic and metaphorical statements labeled as positive, negative and neutral. The participants were expected to correctly identify the sentiment polarity in case of figurative expressions like irony. The teams that participated in the shared task used affective resources, character n-grams, etc. The winning team used “four lexica, one that was automatically generated and three that were manually crafted. (sic)”. The second shared task was a data science contest organized as a part of PAKDD 2016⁵. The dataset provided consists of reddit comments labeled as either sarcastic or non-sarcastic.

6. REPORTED PERFORMANCE

Table IV summarizes reported values from past works. The values may not be directly comparable because they work with different kinds of datasets, and report different metrics. However, the table does provide a ballpark estimate of performance of sarcasm detection. González-Ibáñez et al. [2011] show that unigram-based features outperform the use of a subset of words as derived from a sentiment lexicon. They compare the accuracy of the sarcasm classifier with the human ability to detect sarcasm. While the best classifier achieves 57.41%, the human performance for sarcasm identification is 62.59%. Reyes and Rosso [2012] observe that sentiment-based features are their top discriminating features. The logistic classifier in Rakov and Rosenberg [2013] results in an accuracy of 81.5%. Joshi et al. [2015] present an analysis of errors like incongruity due to numbers and granularity of annotation. Rajadesingan et al. [2015] show

⁵<http://www.parrotanalytics.com/pacific-asia-knowledge-discovery-and-data-mining-conference-2016-contest/>

Table IV. Summary of Performance Values; Precision/Recall/F-measures and Accuracy values are indicated in percentages

	Details	Reported Performance
[Tepperman et al. 2006]	Conversation transcripts	F: 70, Acc: 87
[Davidov et al. 2010]	Tweets	F: 54.5 Acc: 89.6
[González-Ibáñez et al. 2011]	Tweets	A: 75.89
[Reyes et al. 2012]	Irony vs general	A: 70.12, F: 65
[Reyes and Rosso 2012]	Reviews	F: 89.1, P: 88.3, R: 89.9
[Riloff et al. 2013]	Tweets	F: 51, P: 44, R: 62
[Lukin and Walker 2013]	Discussion forum posts	F: 69, P: 75, R: 62
[Liebrecht et al. 2013]	Tweets	AUC: 0.76
[Reyes et al. 2013]	Irony vs humor	F: 76
[Rakov and Rosenberg 2013]	Speech data	Acc: 81.57
[Muresan et al. 2016]	Reviews	F: 75.7
[Joshi et al. 2016b]	Book snippets	F: 80.47
[Rajadesingan et al. 2015]	Tweets	Acc: 83.46, AUC: 0.83
[Bamman and Smith 2015]	Tweets	Acc: 85.1
[Ghosh et al. 2015b]	Tweets	Cosine: 0.758, MSE: 2.117
[Fersini et al. 2015]	Tweets	F: 83.59, Acc: 94.17
[Joshi et al. 2015]	Tweets/Disc. Posts	F: 88.76/64
[Khattri et al. 2015]	Tweets	F: 88.2
[Wang et al. 2015]	Tweets	Macro-F: 69.13
[Joshi et al. 2016a]	TV transcripts	F: 84.4
[Abercrombie and Hovy 2016]	Tweets	AUC: 0.6
[Buschmeier et al. 2014]	Reviews	F: 71.3
[Hernández-Farías et al. 2015]	Irony vs politics	F: 81

that historical features along with flip-based features are the most discriminating features, and result in an accuracy of 83.46%. These are also the features presented in a rule-based setting by [Khattri et al. 2015].

7. TRENDS IN SARCASM DETECTION




Fig. 1. Trends in Sarcasm Detection Research

In the previous sections, we looked at the datasets, approaches and performance values of past work in sarcasm detection. In this section, we delve into trends observed in sarcasm detection research. Figure 1 summarizes these trends. Representative work in each area are indicated in the figure. As seen in the figure, there have been four key milestones. Following fundamental studies, supervised/semi-supervised

sarcasm classification approaches were explored. These approaches focused on using specific patterns or novel features. Then, as twitter emerged as a viable source of data, hashtag-based supervision became popular. Recently, using context beyond the text to be classified has become popular.

In the rest of this section, we describe in detail two of these trends: (a) discovery of sarcastic patterns, and use of these patterns as features, and (b) use of contextual information *i.e.*, information beyond the target text for sarcasm detection. We describe the two trends in detail in the forthcoming subsections.

7.1. Pattern discovery

Discovering sarcastic patterns was an early trend in sarcasm detection. Several approaches dealt with extracting patterns that are indicative of sarcasm, or carry implied sentiment. These patterns may then be used as features for a statistical classifier, or as rules in a rule-based classifier. Tsur et al. [2010] extract sarcastic patterns from a seed set of labeled sentences. They first select words that either occur more than an upper threshold or less than a lower threshold. Among these words, identify a large set of candidate patterns. The patterns which occur discriminatively in either classes are then selected. Ptáček et al. [2014; Bouazizi and Ohtsuki [2015b] also use a similar approach for Czech and English tweets.

Riloff et al. [2013] hypothesize that sarcasm occurs due to a contrast between positive verbs and negative situation phrases. To discover a lexicon of these verbs and phrases, they propose an iterative algorithm. Starting with a seed set of positive verbs, they identify discriminative situation phrases that occur with these verbs in sarcastic tweets. These phrases are then used to identify other verbs. The algorithm iteratively appends to the list of known verbs and phrases. Joshi et al. [2015] adapt this algorithm by eliminating subsumption, and show that it adds value. Lukin and Walker [2013] begin with a seed set of nastiness and sarcasm patterns, created using Amazon Mechanical Turk. They train a high precision sarcastic post classifier, followed by a high precision non-sarcastic post classifier. These two classifiers are then used to generate a large labeled dataset from a bootstrapped set of patterns.

7.2. Role of context in sarcasm detection

A recent trend in sarcasm detection is the use of context. The term context here refers to any information beyond the text to be predicted, and beyond common knowledge. In the rest of this section, we refer to the textual unit to be classified as ‘target text’. As we will see, this context may be incorporated in a variety of ways - in general, using supplementary data or using supplementary information from the source platform of the data. Wallace et al. [2014] describe an annotation study that first highlighted the need of context for sarcasm detection. The annotators mark reddit comments with sarcasm labels. During this annotation, annotators often request for additional context in the form of reddit comments. The authors also present a transition matrix that shows how many times authors change their labels after the context is displayed to them.

Following this observation and the promise of context for sarcasm detection, several recent approaches have looked at ways of incorporating it. The contexts that have been reported are of three types:

- (1) **Author-specific context** refers to textual footprint of the author of the target text. For example, Khattri et al. [2015] follow the intuition that ‘A tweet is sarcastic either because it has words of contrasting sentiment in it, or because there is sentiment that contrasts with the author’s historical sentiment’. Historical tweets by the same author are considered as the context. Named entity phrases in the

target tweet are looked up in the timeline of the author in order to gather the true sentiment of the author. This historical sentiment is then used to predict whether the author is likely to be sarcastic, given the sentiment expressed towards the entity in the target tweet. Rajadesingan et al. [2015] incorporate context about author using the author’s past tweets. This context is captured as features for a classifier. The features deal with various dimensions. They use features about author’s familiarity with twitter (in terms of use of hashtags), familiarity with language (in terms of words and structures), and familiarity with sarcasm. Bamman and Smith [2015] consider author context in features such as historical salient terms, historical topic, profile info, historical sentiment (how likely is he/she to be negative), etc. Silvio Amir et al. [2016] capture author-specific embeddings for a neural network based architecture.

- (2) **Conversation context** refers to text in the conversation of which the target text is a part. This incorporates the discourse structure of a conversation. Bamman and Smith [2015] capture conversational context using pair-wise Brown features between the previous tweet and the target tweet. In addition, they also use ‘audience’ features. These are author features of the tweet author who responded to the target tweet. Joshi et al. [2015] show that concatenation of the previous post in a discussion forum thread along with the target post leads to an improvement in precision. Wallace [2015] look at comments in the thread structure to obtain context for sarcasm detection. To do so, they use the subreddit name, and noun phrases from the thread to which the target post belongs. Wang et al. [2015] use **sequence labeling** technique to capture this context. For a sequence of tweets in a conversation, they estimate the most probable sequence of three labels: happy, sad and sarcastic, for the last tweet in the sequence. A similar approach is used in [Joshi et al. 2016a] for sarcastic/non-sarcastic labels.
- (3) **Topical context**: This context follows the intuition that some topics are likely to evoke sarcasm more commonly than others. Wang et al. [2015] also use topical context. To predict sarcasm in a tweet, they download tweets containing a hashtag in the tweet. Then, based on timestamps, they create a sequence of these tweets and again use sequence labeling to detect sarcasm in the target tweet (the last in the sequence).

8. ISSUES IN SARCASM DETECTION

The current set of techniques in sarcasm detection also results in recurring issues that are handled in different ways by different prior works. In this section, we focus on three important issues. The first set of issues deal with **data**: hashtag-based supervision, data imbalance and inter-annotator agreements. The second issue deals with a specific kind of **features** that have been used for classification: sentiment as a label. Finally, the third issue lies in the context of **classification** techniques where we look at how past works handle dataset skews.

8.1. Issues with Data

Although hashtag-based labeling can provide large-scale supervision, the quality of the dataset may become doubtful. This is particularly true in case of use of #not to indicate insincere sentiment. Liebrecht et al. [2013] show how #not can be used to express sarcasm - while the rest of the sentence is non-sarcastic. For example, ‘*I totally love bland food. #not*’. The speaker expresses sarcasm through #not. In most reported works that use hashtag-based supervision, the hashtag is removed in the pre-processing step. This reduces the sentence above to ‘*I love bland food*’ - which may not have a sarcastic interpretation, unless author’s context is incorporated. To mitigate this problem, a new trend is to validate on multiple datasets - some annotated manually while others anno-

tated through hashtags [Joshi et al. 2015; Ghosh and Veale 2016; Bouazizi and Ohtsuki 2015b]. Ghosh and Veale [2016] train their deep learning-based model using a large dataset of hashtag-annotated tweets, but use a test set of manually annotated tweets.

In addition, since sarcasm is a subjective phenomenon, the inter-annotator agreement values reported in past work are diverse. Tsur et al. [2010] indicate an agreement of 0.34. The value in case of Tepperman et al. [2006] is 52.73%, in case of Fersini et al. [2015] is 0.79 while for Riloff et al. [2013], it is 0.81. Joshi et al. [2016] perform an interesting study on cross-cultural sarcasm annotation. They compare annotations by Indian and American annotators, and show that Indian annotators agree with each other more than their American counterparts. They also give examples to elicit these differences. For example, 'It's sunny outside and I am at work. Yay' is considered sarcastic by the American annotators, but non-sarcastic by Indian annotators due to typical Indian climate.

8.2. Issues with features: Sentiment as feature

One question that many papers deliberate is if sentiment can be used as a feature for sarcasm detection. The motivation behind sarcasm detection is often pointed as sarcastic sentences misleading a sentiment classifier. However, several approaches use sentiment as an input to the sarcasm classifier. It must, however, be noted that these approaches require 'surface polarity' the apparent polarity of a sentence. Bharti et al. [2015] describe a rule-based approach that predicts a sentence as sarcastic if a negative phrase occurs in a positive sentence. As described earlier, Khattri et al. [2015] use sentiment of a past tweet by the author to predict sarcasm. In a statistical classifier, surface polarity may be used directly as a feature use polarity of the tweet as a feature [Reyes et al. 2012; Joshi et al. 2015; Rajadesingan et al. 2015; Bamman and Smith 2015]. Reyes et al. [2013] capture polarity in terms of two emotion dimensions: activation and pleasantness. Buschmeier et al. [2014] incorporate sentiment imbalance as a feature. Sentiment imbalance is a situation where star rating of a review disagrees with the surface polarity. Bouazizi and Ohtsuki [2015a] cascade sarcasm detection and sentiment detection, and observe an improvement of 4% in accuracy when sentiment detection is aware of sarcastic nature.

8.3. Dealing with Dataset Skews

Sarcasm is an infrequent phenomenon of sentiment expression. This skew also reflects in datasets. Tsur et al. [2010] use a dataset with a small set of sentences are marked as sarcastic. 12.5% of tweets in the Italian dataset given by Barbieri et al. [2014a] are sarcastic. On the other hand, Rakov and Rosenberg [2013] present a balanced dataset of 15k tweets. Liebrecht et al. [2013] state that "detecting sarcasm is like a needle in a haystack". In some papers, the technique used is designed to work around existing skew. Liu et al. [2014] present a multi-strategy ensemble learning approach is used that uses ensembles and majority voting. Joshi et al. [2016b] use SVM-perf that performs F-score optimization. Similarly, in order to deal with sparse features and skew of data, Wallace [2015] introduce a LSS-regularization strategy. Thus, they use a sparsifying L1 regularizer over contextual features and L2-norm for bag of word features. Since AUC is known to be a better indicator than F-score for skewed data, Liebrecht et al. [2013] report AUC for balanced as well as skewed datasets, to demonstrate the benefit of their classifier. Another methodology to ascertain benefit of a given approach withstanding data skew is by Abercrombie and Hovy [2016]. They compare performance of sarcasm classification a cross two dimensions: type of annotation (manual versus hashtag-supervised) and data skew.

9. CONCLUSION & FUTURE DIRECTIONS

Sarcasm detection research has grown significantly in the past few years, necessitating a look-back at the overall picture that these individual works have led to. This paper surveys approaches for automatic sarcasm detection. We observed three milestones in the history of sarcasm detection research: semi-supervised pattern extraction to identify implicit sentiment, use of hashtag-based supervision, and use of context beyond target text. We tabulated datasets and approaches that have been reported. Rule-based approaches capture evidences of sarcasm in the form of rules such as sentiment of hashtag not matching sentiment of rest of the tweet. Statistical approaches use features like sentiment changes. To incorporate context, additional features specific to the author, the conversation and the topic have been explored in the past. We also highlight three issues in sarcasm detection: the relationship between sentiment and sarcasm, and data skew in case of sarcasm-labeled datasets. Our table that compares all past papers along dimensions such as approach, annotation approach, features, etc. will be useful to understand the current state-of-art in sarcasm detection research.

Based on our survey of these works, we propose following possible directions for future:

- (1) **Implicit sentiment detection & sarcasm:** Based on past work, it is well-established that sarcasm is closely linked to sentiment incongruity [Joshi et al. 2015]. Several related works exist for detection of implicit sentiment in sentences, as in the case of *'The phone gets heated quickly'* v/s *'The induction cooktop gets heated quickly'*. This will help sarcasm detection, following the line of semi-supervised pattern discovery.
- (2) **Incongruity in numbers:** Joshi et al. [2015] point out how numerical values convey sentiment and hence, is related to sarcasm. Consider the example of *'Took 6 hours to reach work today. #yay'*. This sentence is sarcastic, as opposed to *'Took 10 minutes to reach work today. #yay'*.
- (3) **Coverage of different forms of sarcasm:** In Section 2, we described four species of sarcasm: propositional, lexical, like-prefixed and illocutionary sarcasm. We observe that current approaches are limited in handling the last two forms of sarcasm: like-prefixed and illocutionary. Future work may focus on these forms of sarcasm.
- (4) **Culture-specific aspects of sarcasm detection:** As shown in Liu et al. [2014], sarcasm is closely related to language/culture-specific traits. Future approaches to sarcasm detection in new languages will benefit from understanding such traits, and incorporating them into their classification frameworks. Joshi et al. [2016] show that American and Indian annotators may have substantial disagreement in their sarcasm annotations - however, this sees a non-significant degradation in the performance of sarcasm detection.
- (5) **Deep learning-based architectures:** Very few approaches have explored deep learning-based architectures so far. Future work that uses these architecture may show promise.

REFERENCES

- Gavin Abercrombie and Dirk Hovy. 2016. Putting Sarcasm Detection into Context: The Effects of Class Imbalance and Manual Labelling on Supervised Machine Classification of Twitter Conversations. *ACL 2016* (2016), 107.
- Seema Nagar Kuntal Dey Abhijit Mishra, Diptesh Kanojia and Pushpak Bhattacharyya. 2016. Harnessing Cognitive Features for Sarcasm Detection. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics*.
- David Bamman and Noah A Smith. 2015. Contextualized Sarcasm Detection on Twitter. In *Ninth International AAAI Conference on Web and Social Media*.

- Francesco Barbieri, Francesco Ronzano, and Horacio Saggion. 2014a. Italian irony detection in twitter: a first approach. In *The First Italian Conference on Computational Linguistics CLiC-it 2014 & the Fourth International Workshop EVALITA*. 28–32.
- Francesco Barbieri, Horacio Saggion, and Francesco Ronzano. 2014b. Modelling Sarcasm in Twitter, a Novel Approach. *ACL 2014* (2014), 50.
- Santosh Kumar Bharti, Korra Sathya Babu, and Sanjay Kumar Jena. 2015. Parsing-based Sarcasm Sentiment Recognition in Twitter Data. In *Proceedings of the 2015 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining 2015*. ACM, 1373–1380.
- Mondher Bouazizi and Tomoaki Ohtsuki. 2015a. Opinion Mining in Twitter How to Make Use of Sarcasm to Enhance Sentiment Analysis. In *Proceedings of the 2015 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining 2015*. ACM, 1594–1597.
- Mondher Bouazizi and Tomoaki Ohtsuki. 2015b. Sarcasm Detection in Twitter:” All Your Products Are Incredibly Amazing!!!”-Are They Really?. In *2015 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 1–6.
- Konstantin Buschmeier, Philipp Cimiano, and Roman Klinger. 2014. An impact analysis of features in a classification approach to irony detection in product reviews. *ACL 2014* (2014), 42.
- Elisabeth Camp. 2012. Sarcasm, Pretense, and The Semantics/Pragmatics Distinction*. *Noûs* 46, 4 (2012), 587–634.
- John D Campbell and Albert N Katz. 2012. Are there necessary conditions for inducing a sense of sarcastic irony? *Discourse Processes* 49, 6 (2012), 459–480.
- Basilis Charalampakis, Dimitris Spathis, Elias Kouslis, and Katia Keramidis. 2016. A comparison between semi-supervised and supervised text mining techniques on detecting irony in greek political tweets. *Engineering Applications of Artificial Intelligence* (2016), –. DOI: <http://dx.doi.org/10.1016/j.engappai.2016.01.007>
- Dmitry Davidov, Oren Tsur, and Ari Rappoport. 2010. Semi-supervised recognition of sarcastic sentences in twitter and amazon. In *Proceedings of the Fourteenth Conference on Computational Natural Language Learning*. Association for Computational Linguistics, 107–116.
- Nikita Desai and Anandkumar D Dave. 2016. Sarcasm Detection in Hindi sentences using Support Vector machine. *International Journal* 4, 7 (2016).
- Jodi Eisterhold, Salvatore Attardo, and Diana Boxer. 2006. Reactions to irony in discourse: Evidence for the least disruption principle. *Journal of Pragmatics* 38, 8 (2006), 1239–1256.
- Elisabetta Fersini, Federico Alberto Pozzi, and Enza Messina. 2015. Detecting Irony and Sarcasm in Microblogs: The Role of Expressive Signals and Ensemble Classifiers. In *Data Science and Advanced Analytics (DSAA), 2015. 36678 2015. IEEE International Conference on*. IEEE, 1–8.
- Elena Filatova. 2012. Irony and Sarcasm: Corpus Generation and Analysis Using Crowdsourcing.. In *LREC*. 392–398.
- Aniruddha Ghosh, Guofu Li, Tony Veale, Paolo Rosso, Ekaterina Shutova, Antonio Reyes, and John Barnaden. 2015b. Semeval-2015 task 11: Sentiment analysis of figurative language in twitter. In *Int. Workshop on Semantic Evaluation (SemEval-2015)*.
- Aniruddha Ghosh and Tony Veale. 2016. Fracking Sarcasm using Neural Network. *WASSA NAACL 2016* (2016).
- Debanjan Ghosh, Weiwei Guo, and Smaranda Muresan. 2015a. Sarcastic or Not: Word Embeddings to Predict the Literal or Sarcastic Meaning of Words. In *EMNLP*.
- Rachel Giora. 1995. On irony and negation. *Discourse processes* 19, 2 (1995), 239–264.
- Roberto González-Ibáñez, Smaranda Muresan, and Nina Wacholder. 2011. Identifying sarcasm in Twitter: a closer look. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies: short papers-Volume 2*. Association for Computational Linguistics, 581–586.
- Irazú Hernández-Farías, José-Miguel Benedí, and Paolo Rosso. 2015. Applying Basic Features from Sentiment Analysis for Automatic Irony Detection. In *Pattern Recognition and Image Analysis*. Springer, 337–344.
- Stacey L Ivanko and Penny M Pexman. 2003. Context incongruity and irony processing. *Discourse Processes* 35, 3 (2003), 241–279.
- Aditya Joshi, Pushpak Bhattacharyya, Mark Carman, Jaya Saraswati, and Rajita Shukla. 2016. How Do Cultural Differences Impact the Quality of Sarcasm Annotation?: A Case Study of Indian Annotators and American Text. *LaTeCH 2016* (2016), 95.

- Aditya Joshi, Vinita Sharma, and Pushpak Bhattacharyya. 2015. Harnessing context incongruity for sarcasm detection. In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing*, Vol. 2. 757–762.
- Aditya Joshi, Vaibhav Tripathi, Pushpak Bhattacharyya, and Mark Carman. 2016a. Harnessing Sequence Labeling for Sarcasm Detection in Dialogue from TV Series Friends. *CoNLL 2016* (2016), 146.
- Aditya Joshi, Vaibhav Tripathi, Kevin Patel, Pushpak Bhattacharyya, and Mark Carman. 2016b. Are Word Embedding-based Features for Sarcasm Detection? *EMNLP 2016* (2016).
- Anupam Khattri, Aditya Joshi, Pushpak Bhattacharyya, and Mark James Carman. 2015. Your Sentiment Precedes You: Using an authors historical tweets to predict sarcasm. In *6TH WORKSHOP ON COMPUTATIONAL APPROACHES TO SUBJECTIVITY, SENTIMENT AND SOCIAL MEDIA ANALYSIS WASSA 2015*. 25.
- Roger J Kreuz and Gina M Caucci. 2007. Lexical influences on the perception of sarcasm. In *Proceedings of the Workshop on computational approaches to Figurative Language*. Association for Computational Linguistics, 1–4.
- CC Liebrecht, FA Kunneman, and APJ van den Bosch. 2013. The perfect solution for detecting sarcasm in tweets# not. (2013).
- Bing Liu. 2010. Sentiment analysis and subjectivity. *Handbook of natural language processing 2* (2010), 627–666.
- Peng Liu, Wei Chen, Gaoyan Ou, Tengjiao Wang, Dongqing Yang, and Kai Lei. 2014. Sarcasm Detection in Social Media Based on Imbalanced Classification. In *Web-Age Information Management*. Springer, 459–471.
- Stephanie Lukin and Marilyn Walker. 2013. Really? well. apparently bootstrapping improves the performance of sarcasm and nastiness classifiers for online dialogue. In *Proceedings of the Workshop on Language Analysis in Social Media*. 30–40.
- Edwin Lunando and Ayu Purwarianti. 2013. Indonesian social media sentiment analysis with sarcasm detection. In *Advanced Computer Science and Information Systems (ICACSIS), 2013 International Conference on*. IEEE, 195–198.
- Diana Maynard and Mark A Greenwood. 2014. Who cares about sarcastic tweets? investigating the impact of sarcasm on sentiment analysis. In *Proceedings of LREC*.
- Smaranda Muresan, Roberto Gonzalez-Ibanez, Debanjan Ghosh, and Nina Wacholder. 2016. Identification of nonliteral language in social media: A case study on sarcasm. *Journal of the Association for Information Science and Technology* (2016).
- Tomáš Ptáček, Ivan Habernal, and Jun Hong. 2014. Sarcasm Detection on Czech and English Twitter. In *Proceedings COLING 2014*. COLING.
- Ashwin Rajadesingan, Reza Zafarani, and Huan Liu. 2015. Sarcasm detection on Twitter: A behavioral modeling approach. In *Proceedings of the Eighth ACM International Conference on Web Search and Data Mining*. ACM, 97–106.
- Rachel Rakov and Andrew Rosenberg. 2013. ”sure, i did the right thing”: a system for sarcasm detection in speech.. In *INTERSPEECH*. 842–846.
- Antonio Reyes and Paolo Rosso. 2012. Making objective decisions from subjective data: Detecting irony in customer reviews. *Decision Support Systems* 53, 4 (2012), 754–760.
- Antonio Reyes and Paolo Rosso. 2014. On the difficulty of automatically detecting irony: beyond a simple case of negation. *Knowledge and Information Systems* 40, 3 (2014), 595–614.
- Antonio Reyes, Paolo Rosso, and Davide Buscaldi. 2012. From humor recognition to irony detection: The figurative language of social media. *Data & Knowledge Engineering* 74 (2012), 1–12.
- Antonio Reyes, Paolo Rosso, and Tony Veale. 2013. A multidimensional approach for detecting irony in twitter. *Language Resources and Evaluation* 47, 1 (2013), 239–268.
- Ellen Riloff, Ashequl Qadir, Prafulla Surve, Lalindra De Silva, Nathan Gilbert, and Ruihong Huang. 2013. Sarcasm as Contrast between a Positive Sentiment and Negative Situation.. In *EMNLP*. 704–714.
- Byron C Silvio Amir, Wallace, Hao Lyu, and Paula Carvalho Mário J Silva. 2016. Modelling Context with User Embeddings for Sarcasm Detection in Social Media. *CoNLL 2016* (2016), 167.
- Joseph Tepperman, David R Traum, and Shrikanth Narayanan. 2006. ”yeah right”: sarcasm recognition for spoken dialogue systems.. In *INTERSPEECH*. Citeseer.
- Oren Tsur, Dmitry Davidov, and Ari Rappoport. 2010. ICWSM-A Great Catchy Name: Semi-Supervised Recognition of Sarcastic Sentences in Online Product Reviews.. In *ICWSM*.
- Tony Veale and Yanfen Hao. 2010. Detecting Ironic Intent in Creative Comparisons.. In *ECAI*, Vol. 215. 765–770.

- Byron C Wallace. 2013. Computational irony: A survey and new perspectives. *Artificial Intelligence Review* 43, 4 (2013), 467–483.
- Byron C Wallace. 2015. Sparse, Contextually Informed Models for Irony Detection: Exploiting User Communities, Entities and Sentiment. In *ACL*.
- Byron C Wallace, Laura Kertz Do Kook Choe, and Eugene Charniak. 2014. Humans require context to infer ironic intent (so computers probably do, too). In *Proceedings of the Annual Meeting of the Association for Computational Linguistics (ACL)*. 512–516.
- Zelin Wang, Zhijian Wu, Ruimin Wang, and Yafeng Ren. 2015. Twitter Sarcasm Detection Exploiting a Context-Based Model. In *Web Information Systems Engineering–WISE 2015*. Springer, 77–91.
- Deirdre Wilson. 2006. The pragmatics of verbal irony: Echo or pretence? *Lingua* 116, 10 (2006), 1722–1743.